

# Bounce House Setup and Folding Instructions

1. Place supplied tarp on the lawn.
2. Unload and position the Bounce House at the “BACK CENTER EDGE” of the tarp.
3. Remove the tie straps securing the Bounce House roll.
4. Unroll the Bounce House and unfold left and right.
5. Secure the Blower to one of the Blower Ports and use the securing strap for the other blower port to seal it closed.
6. Check that all the Bounce House Velcro air vents are closed.
7. Connect the blower to an electrical outlet. (Do not use more than a 50' heavy duty 12 gauge extension cord if needed)
8. When inflated, stake the 4 corners to the ground with supplied Bounce House Stakes.
9. Please follow ALL Safety Instructions on the front of the Bounce House.


## Folding and Return Instructions

10. Clean all debris (grass, etc.) from the interior and exterior of the Bounce House. Please note: Bounce House MUST BE RETURNED DRY!
11. Get started by deflating your inflatable unit completely. Switch off the blower, disconnect the blower tube and open the deflation zippers & Velcro flaps. Wait for the inflatable to fall to the ground and lay it flat.
12. Empty the air out of the inflatable by walking on it. Pull the top front and back, then tuck the cone tops. Make sure the surface is even and completely deflated to ensure you have a properly rolled inflatable unit later on.
13. With 1 person standing at the front left of the bouncer and the 2<sup>nd</sup> person standing at the same corner on the back of the bounce house, grab the corners and fold 2/3rds of the bounce house to the other long side of the bouncer. Then move to the other 2 corners (that are roughly 5 feet away) and fold that edge all the way back to the to the other side of the bounce house. You should have folded the bounce house into thirds the long way.

14. Tuck all the "top portion" of the bounce house inside only leaving the bottom of the bounce house exposed. Leave the air ports out to let the remaining air escape as you roll.
15. Push out excess air by gently walking over the surface of the folded inflatable unit toward air ports. Once you have deflated it completely and folded it properly, place tie straps under the inflatable unit at the end of the air port. Doing this will help you avoid lifting the heavy inflatable unit to place tie straps after it was rolled
16. Roll at the end opposite blower ports, then roll back towards the deflation zipper. As usual, push out all the remaining air as you roll the unit. You must roll it as straight and tight as possible, meaning they should not sag. Keep the roll lined up and tuck overlapping material. Note that the finished roll will be turned to a free-standing position, making sure that one side of the unit is as "flush" as possible.
17. After rolling up the inflatable unit completely, unroll it back one foot to tuck away exposed blower ports. Roll it back to completion afterward. The bottom of the inflatable unit should only be the exposed part during transport.
18. Use the straps to tie off the roll and secure the unit in place. Check for loose or protruding extra material and tuck it away.
19. Fold-up provided ground tarp and return with Bounce House.

Your \$100 security/cleaning deposit will be returned in approximately 1 week after inspection of the Bounce House.

Front



Back

